


# Product Specification

Description	LED Amusement Lamp
Model NO	YJLED-053A-S30RGB-C/D24V

## Product Picture



IP65 CE 

## Product Application



Amusement LED Lamps are widely used in the park, Theme park, amusement park and all kinds of amusement machines




**SHENZHEN AGLARE LIGHTING CO., LTD**  
Web: [www.aglare.cn](http://www.aglare.cn) / [www.amusementlamp.com](http://www.amusementlamp.com)  
Email: [aglare@aglare.cn](mailto:aglare@aglare.cn)  
Tel: +86-75588868631


## Product Structure



### Product Material



### Product size




## Product Parameters


Part No.	Voltage	Color	Watts	LEDs	IP	Beam angle	Weight
YJLED-053A-S30RGB	DC24V		max7.5W	30pcs 5050RGB	Ip65	120°	135g

WW:3000-3200K,NW:4000-4500K,W:6000-6500K


## Product Installation




Turn off the power




Dill hole(A=5.5~6mm;B=18~25mm)  
A-A=265mm;380mm<B-B<480mm




Through the connecting wire into the B hole



Please use the M5 rod and nut



Connection waterproof joint




Turn on the power



**SHENZHEN AGLARE LIGHTING CO., LTD**  
 Web: [www.aglare.cn/](http://www.aglare.cn/) [www.amusementlamp.com](http://www.amusementlamp.com)  
 Email: [aglare@aglare.cn](mailto:aglare@aglare.cn)  
 Tel: +86-75588868631

## Product Wiring Diagram


### Mode1



### Note:

- 1 The power supply output is DC24v, >n\*7.5W
- 2 We offer one power wire for bulbs for per 20 pixel lamps
- 3 The main wire per square mm up to 10A current
- 4 The distance between the controller and the lamp or the lamp and the lamp must be less than 5 meters, Otherwise you need to connect the signal amplifier


### Mode2



### Note:

- 1 The power supply output is DC24v, >150W
- 4 The distance between the controller and the lamp or the lamp and the lamp must be less than 5 meters, Otherwise you need to connect the signal amplifier

## Product Package



WEIGHT/PCS	N. W	G. W	PCS/CARTON	CARTON SIZE
135g	7.3KG	10.3KG	54	53*30*25cm

### Instructions :

K=K Material Carton  
W3C Material Carton

## Caution

### Please read the specification before used:

Working temperature range  $-25^{\circ}\text{C}$ - $45^{\circ}\text{C}$

Working voltage range less than  $\pm 10\%$

Please turn off the power before installation



**SHENZHEN AGLARE LIGHTING CO., LTD**

Web: [www.aglare.cn/](http://www.aglare.cn/) [www.amusementlamp.com](http://www.amusementlamp.com)

Email: [aglare@aglare.cn](mailto:aglare@aglare.cn)

Tel: +86-75588868631